


SURVEYORS CERTIFICATION

THIS PLAT IS A RETRACEMENT OF AN EXISTING PARCEL OR PARCELS OF LAND AND DOES NOT SUBDIVIDE OR CREATE A NEW PARCEL OR MAKE ANY CHANGES TO ANY REAL PROPERTY BOUNDARIES. THE RECORDING INFORMATION OF THE DOCUMENTS, MAPS, PLATS, OR OTHER INSTRUMENTS WHICH CREATED THE PARCEL OR PARCELS ARE STATED HEREON. RECORDATION OF THIS PLAT DOES NOT IMPLY APPROVAL OF ANY LOCAL JURISDICTION, AVAILABILITY OF PERMITS, COMPLIANCE WITH LOCAL REGULATIONS OR REQUIREMENTS, OR SUITABILITY FOR ANY USE OR PURPOSE OF THE LAND. FURTHERMORE, THE UNDERSIGNED LAND SURVEYOR CERTIFIES THAT THIS PLAT COMPLIES WITH THE MINIMUM TECHNICAL STANDARDS FOR PROPERTY SURVEYS IN GEORGIA AS SET FORTH IN THE RULES AND REGULATIONS OF THE GEORGIA BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS AND AS SET FORTH IN O.C.G.A. SECTION 15-6-67.

D. J. Holman
 GRADY LODGE HOLMAN
 GEORGIA REGISTERED LAND SURVEYOR NO. 2033
 09-15-2022
 DATE



SPACE RESERVED FOR THE CLERK OF SUPERIOR COURT

LINE	BEARING	DISTANCE
L1	S 56°39'41"W	47.44'
L2	S 16°23'04"E	22.80'
L3	S 23°22'30"W	37.89'
L4	S 46°27'58"W	34.22'
L5	S 65°04'31"W	18.55'
L6	N 45°58'47"W	43.50'
L7	S 44°14'24"W	84.68'
L8	S 48°03'38"W	59.62'
L9	S 20°20'16"E	48.21'
L10	S 30°29'20"E	34.19'
L11	S 37°11'37"W	30.91'
L12	N 88°12'02"W	57.31'
L13	S 20°47'10"W	56.08'
L14	N 74°18'22"W	19.62'
L15	S 61°38'25"W	6.70'
L16	S 61°38'25"W	15.97'
L17	N 78°52'15"W	33.64'
L18	S 51°21'15"W	61.50'
L19	S 66°05'03"W	29.09'
L20	N 02°25'23"E	43.84'
L21	S 76°10'34"W	37.93'
L22	S 74°45'49"W	52.80'
L23	S 18°33'56"W	26.29'
L24	N 53°12'54"W	52.00'
L25	N 80°18'33"W	24.43'



SURVEY NOTES:

- HOLMAN LAND SURVEYING, INC. & THE LAND SURVEYOR WHOSE SEAL IS AFFIXED HERETO DO NOT GUARANTEE THAT ALL EASEMENTS WHICH MAY AFFECT THIS PROPERTY ARE SHOWN HEREON.
- THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A LINEAR PRECISION OF ONE FOOT IN 10455 FEET AND AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS BALANCED USING THE COMPASS RULE. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND IS FOUND TO BE ACCURATE WITHIN ONE FOOT IN 1000000 FEET. A TOPCON ES-105 TOTAL STATION AND A CHAMPION TKO GPS WERE USED IN SURVEYING THIS PROPERTY. GPS CORRECTIONS WERE OBTAINED FROM EGPS SOLUTIONS REAL TIME NETWORK.
- THERE IS NO KNOWN NATIONAL GEODETIC SURVEY MONUMENT WITHIN 500 FEET OF ANY POINT OF THE PROPERTY PLATTED, OR ANY POINT OF REFERENCE THEREON.
- THE CERTIFICATION, AS SHOWN HEREON, IS PURELY A STATEMENT OF PROFESSIONAL OPINION BASED ON KNOWLEDGE, INFORMATION AND BELIEF, AND BASED ON EXISTING FIELD EVIDENCE AND DOCUMENTARY EVIDENCE AVAILABLE. THE CERTIFICATION IS NOT AN EXPRESSED OR IMPLIED WARRANTY OR GUARANTEE.
- 1/2" REBAR SET 61.34' NORTH OF PLATTED CORNER
- 1/2" REBAR SET 16.56' NORTH OF PLATTED CORNER
- 1/2" REBAR SET 8.13' NORTH OF PLATTED CORNER



SURVEY FOR
 MICHAEL HALL, ADMINISTRATOR OF MIRIOM M. FLEMING ESTATE
 LAND LOT NO. 361 - 28TH LAND DISTRICT
 EARLY COUNTY, GEORGIA
 DRAWING 090922MH DRAIN BY J.S.T. FIELD WORK BY J.S.T. SCALE: 1" = 300' DATE 09-15-2022

HOLMAN LAND SURVEYING INC.
 PROFESSIONAL LAND SURVEYORS
 P.O. BOX 790 - 15156 RIVER STREET
 BLAKELY, GA, 39823
 TEL: 229-723-4040 FAX: 229-723-8477
 E-MAIL: LONGSHOT@WINDSTREAM.NET